



EPW

PATENT

I hereby certify that this correspondence and enclosure are being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December 9, 2005.

Steven W. Benintendi December 9, 2005
Steven W. Benintendi, Esq., Reg. No. 56,297 Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial Number: 10/785,550
Filed: February 24, 2004
Group Art Unit: 3763
Examiner: unknown
Applicant: Bernd Thureau et al
Title: **Diaphragm-Based Reservoir For A Closed Blood Sampling System**
Attorney Ref.: MDX-291US-114
Confirmation No.: 8154

Cincinnati, Ohio 45202

December 9, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF CORRECTED DRAWING

On June 3, 2004, Applicant filed a Submission of Corrected Drawing for Fig. 12, which added the reference number 338. This reference number had been inadvertently omitted from the original Formal drawing submitted with the application and no new matter was introduced at that time. Applicant has now become aware of a further inadvertent omission of a reference numeral for Fig. 12. One sheet of a corrected Formal drawing for Fig. 12 is submitted herewith, which adds the reference number 386. No new matter has been introduced.

If for any reason, there are any concerns with the drawing, the Office is respectfully requested to telephone undersigned counsel to discuss same.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By: Steven W. Benintendi

Steven W. Benintendi

Reg. No. 56,297

2700 Carew Tower, 441 Vine Street
Cincinnati, OH 45202
(513) 241-2324
(513) 241-6234 (fax)